Kuzmeski Conservation Restriction, Cushman Road Monitoring Visit, May 23, 2004

The land continues to provide a variety of habitats for birds and other wildlife. North of Roaring Brook is a mixture of open grasses, shrubs, and small deciduous trees. South of the brook is mixed hardwood-conifer woods.

Since this property abuts the East Leverett Meadow (ELM) where there is an on-going wildlife monitoring project, there is informal monitoring of the Conservation Restriction from the road and the ELM land at least once a month. However, on this visit we crisscrossed the land on both the north and south sections.

We found (and removed) the usual roadside trash (beer bottles, milk jugs, etc.), but otherwise the land and the brook are in excellent condition. It is no surprise that it is easier to find the stone boundary markers on the Cushman side in the winter (our monitoring last year had been in March) than in May with the high grass. However, the advantage of this later visit was the chance to see the many jack-in-the-pulpits and hear the Blue-winged Warbler and Common Yellowthroat singing (and probably nesting) in shrubs on the north side of the brook.

A copy of the birds seen/heard on the Kuzmeski Conservation Restriction over the past 3 1/2 years is attached. It attests to the variety of habitat provided on this property.

Joan Godsey and Mary Alice Wilson for the Rattlesnake Gutter Trust

X	x	x x x x	x x x x x x x x x x x x x x x x x x x	x x x x x x x x x x x x x x x x x x x	x x x x x x x x x x x x x x x x x x x	x x x	x x x x x x x x x	x x x x x x x x x x	x x x	X	x
		x x x x	x x x x x x x x x x x x x x x x x x x	x x x x x	x x x x x x x x x x x x x x x x x x x	x x	X X X X X X	x x x x x x	x		x
		x x x x	x x x x x x x x x x x x x x x x x x x	x x x x	x x x x x x x x x x	x	X X X X X	X X X X X	x		X
		x x x x	x x x x x x x x x x x x x x x x x x x	x x x	x x x x x x x x	x	X X X X	x x x x	x		X
		x x x	X X X X X X X X X X	X X X	x x x	X	X X X X	x x x x	x x		x
		x x x	X X X X X X X X	X X X	x x x	X	X X X X	x x x x	x x		X
		x x x	X X X X X X X X	x x x	x x x x x x	X	X X X X	x x x x	x x		X
		x x	X X X X X	X	x x x x x	X	X X X X	x x x	х		X
		x x x	x x x x	X X	x x x x	X	X X X X	x x x	х		X
		x x x	x x x	X X	x x x x	X	X X X	x x x	х		X
		x x x	X X X	X X	x x x x	X	X X X	x x x	х		x
		x x x	X X X	X X	x x x x	X	X	x	х		X
		x x x	X X X	X X	x x x x	X	х	x	х		X
X	X	x x	X X	х	x x x			X		X	
X	x	х	x	х	x x x		X		х		
X	x	х	x	х	x x x		X	х	х		
X	x	х	x	х	x x		X	X	X		
x	X	х	x	х	x x			X			
X	X				х						
X	X	X	X	X					X		
					х	Х	X	X			X
						X	X				
				X							
							X				
				X	Х	X	X				
					X	X	X				
		X	X	X	X	X					
		х	X	X	х		X				
K	x	X	X	X	Х	X	X		X	X	X
				X		X	X				
		х	х	X	х	х	X	X	х		
					х		х				
				х			х				
					х		х				
					х						
					х						
					х		х				
		х	х	х	х	х	х	Х	х		
				х	х	х					
				х	х	х	х				
	х	х								х	
		*					х		х		
1				х	х	х	X				
1											
\forall					x	x					
X.	x	x	x	x				x	x	x	х
X											А
	-1			11		-/-	/1	/ k	/1	71	х
+		v	v	v	v	v	v				Λ
+		^	Λ		^	Λ	Λ				
+					Ţ	v	v				
	v	v	v					v	v	v	w
X.											Х
X.	Х	X	X	X	X	X	X	X	X		
_							\vdash				
X.					Х	Х	X	X		Х	
		Х									
-				X	X	X	X	X			
	Х	X	X					X	X	X	X
ĸ			X	X				X			
X	<u>.</u>	x x x x x	x x x x x x x x x x x x x x x x x x x	x x x x x x x x x x x x x x x x x x x	x x x x x x x x x x x x x x x x x x x	x x x x x x x x x x x x x x x x x x x		X			

Eastern Bluebird	*	all year	х		X	х	х	Х	x	х		х		X
Veery	*9	summer	71		- 11			X						
Wood Thrush	*9	summer					X	Λ						
American Robin	*	all year	х	х	X	х	X	х	х	х	х	х	х	X
Gray Catbird	*	summer	А	Λ	А	Λ.	X	X	X	X	X	X	Λ	Λ
Northern Mockingbird	*	summer	х	х	X	х	X	X	X	X		X	х	X
Brown Thrasher	u	migrant	А	Λ	А	X	А	А	Λ	А		Λ	Λ	Λ
European Starling	*	all year	х	х	X	X	х	х	х	х	х	х	х	X
Cedar Waxwing	*	all year	Λ	X	X	Λ	X	X	X	X	X	Α.	X	X
Blue-winged Warbler	*	summer		Λ	А		X	X	X	Λ	Λ		Λ	Λ
Northern Parula	M	migrant					Λ	Λ	Λ	х	x			
Yellow Warbler	*	summer					х	х	х	X				
Chestnut-sided Warbler	*9	summer					X	X			х			
Black-throated Blue Warbler	11	migrant									S			
Yellow-rumped Warbler	M	summer				х	х					х		
Black-throated Green	M	migrant				Λ.	X				х	Λ		
Blackburnian Warbler	u	migrant								х				
Pine Warbler	*?	migrant				x		Х		Λ.				
Prairie Warbler	M	migrant				_		Λ		Х				
Palm Warbler	M	migrant				х				Λ	х	х		
Black-and-white Warbler	*9	summer				^	X		Х	X	А	^		
American Redstart	M	summer					Λ	х	Λ	X				
Ovenbird	*?	summer						X	х	Λ				
Northern Waterthrush	*?	summer						Λ	Α	х				
Louisiana Waterthrush	*?	summer							х	Λ				
Common Yellowthroat	*	summer					х	х	X	х	х			
Canada Warbler	u	migrant					X	Λ	Α	Λ	Λ			
Scarlet Tanager	*9	summer					Λ	X	x					
Eastern Towhee	M	summer					x	Λ.	^		Х			
American Tree Sparrow	W+	winter	x	х	X	х	Λ				Λ		x	Х
Chipping Sparrow	*	summer	Λ.	Λ	А	X	Х	X	x	X		х	Λ.	
Field Sparrow	*	summer				X	X	X	X	X		Λ.		
Vesper Sparrow	u	migrant				Λ	Λ	Λ	Λ	Λ	х			
Savannah Sparrow	*9	summer				х	X	х			X			
Fox Sparrow	M	migrant				X	Λ	Λ			Λ			
Song Sparrow	*	all year			X	X	х	x	x	x	x	х	x	Х
Swamp Sparrow	M	summer			А	Α.	Λ	Λ	Λ	X	X	X	Λ	Α
White-throated Sparrow	W+	winter	х	х	X	х	Х			Λ	X	X	х	X
Dark-eyed Junco	W+	winter	X	X	X	X	X				Α.	X	X	X
Northern Cardinal	*	all year	X	X	X	X	X	X	х	X	X	X	X	X
Rose-breasted Grosbeak	*	summer	Λ	Λ	Λ.	Λ.	X	X	Α	X	Λ	Λ	Λ	Α.
Indigo Bunting	M	summer					^	Λ	v	X				
Bobolink	*	summer					v	X	X	X				
Red-winged Blackbird	*	summer			X	Х	X	X	X	X		X	X	
Eastern Meadowlark	M	migrant			Λ.	X	^	Λ	^	X		^	Λ	
Common Grackle	*	summer	х		X	X	X	X	X	X				
Brown-headed Cowbird	*		Λ						Λ	Λ				
Baltimore Oriole	*	summer			X	X	X	X	X	v				
House Finch	*	all year			X	X	X	X	Α.	X		X	X	X
Common Redpoll		winter		v	Λ	^	Λ	Λ				^	Α	Λ
American Goldfinch	u *	summer	v	X	v	v	v	v	v	v	v	v	v	17
House Sparrow	*		X	X	X	X	X	X	X	X	X	X	X	X
number of species =		all year for East I	007			X		X	X	X				
number of species =		observed						itor	ina :	mee	don	fro	m t	rail
	10	TODSELVE(I	OIL			⊏ I							uu U	an